

KART.ONE  
THEPOPUPBOX

FACTSHEETS

KARTON  
E  
WWW.KART.ONE

hej




# KART.ONE THEPOPUPBOX

## FACTSHEET 40x40x25



SIZE		VOLUME	WEIGHT	LOAD CAPACITY
<b>L x W x H in mm</b>				
<b>outside</b>	<b>inside</b>			
400 x 400 x 250	370 x 380 x 245	34,4 liter	770 gram	up to 30 KG (with even load distribution)



**1** Euro pallet

**48** x THEPOPUPBOX


**1.824** liter  
Volume of storage and storage space

THEPOPUPBOX is made of corrugated cardboard - a material that is completely renewable raw materials and can be completely recycled. The boxes can simply be disposed of in the waste paper. Recycling used packaging to produce new corrugated cardboard delays the return of CO2 to the atmosphere.

**80** %  
Recycled material

**20** % Fresh fibres

 **Pallet dimension**  
1,42 x 0,88 x 1,95 m  
(L x W x H)



**300** KG

**300** pieces

Delivery is flat, on double pallets (142 x 88 cm). Double pallets are stackable (Transport: max. 2 pallets, Storage: max. 4 pallets on top of each other). For storage and processing we recommend 15-25 degrees Celsius and 45 - 65 % relative humidity.

Typ: Corrugated cardboard  
Sorte: BC415 brownn  
Stärke: approx 5 mm  
ECT: 9,80 kN/m (edge crush)  
1800 kN/m (burst strength)

# KART.ONE THEPOPUPBOX

## FACTSHEET 40x40x30




SIZE		VOLUME	WEIGHT	LOAD CAPACITY
<b>L x W x H in mm</b>				
<b>outside</b>	<b>inside</b>			
400 x 400 x 300	370 x 380 x 290	40,8 liter	890 gram	up to 30 KG (with even load distribution)



THEPOPUPBOX is made of corrugated cardboard - a material that is completely renewable raw materials and can be completely recycled. The boxes can simply be disposed of in the waste paper. Recycling used packaging to produce new corrugated cardboard delays the return of CO2 to the atmosphere.

**80** %  
Recycled material  
**20** % Fresh fibres

 **Pallet dimension**  
1,60 x 0,96 x 1,95 m  
(L x W x H)



Delivery is flat, on double pallets (160 x 96,5 cm). Double pallets are stackable (Transport: max. 2 pallets, Storage: max. 4 pallets on top of each other). For storage and processing we recommend 15-25 degrees Celsius and 45 - 65 % relative humidity.

**310** KG  
**300** pieces

Typ: Corrugated cardboard  
Sorte: BC415 brown  
Stärke: approx 5mm  
ECT: 9,80 kN/m (edge crush)  
1800 kN/m (burst strength)

# KART.ONE THEPOPUPBOX

## FACTSHEET 60x40x25



SIZE		VOLUME	WEIGHT	LOAD CAPACITY
<b>L x W x H in mm</b>				
<b>outside</b>	<b>inside</b>			
600 x 400 x 250	578 x 380 x 245	53,8 liter	1050 gram	up to 25 KG (with even load distribution)




THEPOPUPBOX is made of corrugated cardboard - a material that is completely renewable raw materials and can be completely recycled. The boxes can simply be disposed of in the waste paper. Recycling used packaging to produce new corrugated cardboard delays the return of CO2 to the atmosphere.

**80** %  
Recycled material

**20** % Fresh fibres

 **Pallet dimension**  
1,42 x 1,08 x 1,95 m  
(L x W x H)



**400** KG

**300** pieces

Delivery is flat, on double pallets (142 x 108 cm). Double pallets are stackable (Transport: max. 2 pallets, Storage: max. 4 pallets on top of each other). For storage and processing we recommend 15-25 degrees Celsius and 45 - 65 % relative humidity.


Typ: Corrugated cardboard  
Sorte: BC415 brown  
Stärke: approx 5 mm  
ECT: 9,80 kN/m (edge crush)  
1800 kN/m (burst strength)

# KART.ONE THEPOPUPBOX

## FACTSHEET 60x40x30



SIZE		VOLUME	WEIGHT	LOAD CAPACITY
<b>L x W x H in mm</b>				
<b>outside</b>	<b>inside</b>			
600 x 400 x 300	578 x 380 x 290	63,7 liter	1300 gram	up to 25 KG (with even load distribution)



**1** Euro pallet

**28** x THEPOPUPBOX


**1.666** liter  
Volume of stowage and storage space

THEPOPUPBOX is made of corrugated cardboard - a material that is completely renewable raw materials and can be completely recycled. The boxes can simply be disposed of in the waste paper. Recycling used packaging to produce new corrugated cardboard delays the return of CO2 to the atmosphere.

**80** %  
Recycled material

**20** % Fresh fibres

 **Pallet dimension**  
1,60 x 1,17 x 1,95 m  
(L x W x H)



Delivery is flat, on double pallets (160 x 117 cm). Double pallets are stackable (Transport: max. 2 pallets, Storage: max. 4 pallets on top of each other). For storage and processing we recommend 15-25 degrees Celsius and 45 - 65 % relative humidity.

**418** KG

**300** pieces

Typ: Corrugated cardboard  
Sorte: BC415 brown  
Stärke: approx 5 mm  
ECT: 9,80 kN/m (edge crush)  
1800 kN/m (burst strength)

# KART.ONE THEPOPUPBOX

## FACTSHEET 40x60x35




SIZE		VOLUME	WEIGHT	LOAD CAPACITY
<b>L x W x H in mm</b>				
<b>outside</b>	<b>inside</b>			
400 x 600 x 350	380 x 570 x 340	73,6 liter	1150 gram	up to 25 KG (with even load distribution)



THEPOPUPBOX is made of corrugated cardboard - a material that is completely renewable raw materials and can be completely recycled. The boxes can simply be disposed of in the waste paper. Recycling used packaging to produce new corrugated cardboard delays the return of CO<sub>2</sub> to the atmosphere.

**80** %  
Recycled material  
**20** % Fresh fibres

 **Pallet dimension**  
2,01 x 1,08 x 1,95 m  
(L x W x H)



**416** KG  
**300** pieces

Delivery is flat, on double pallets (201 x 108 cm). Double pallets are stackable (Transport: max. 2 pallets, Storage: max. 4 pallets on top of each other). For storage and processing we recommend 15-25 degrees Celsius and 45 - 65 % relative humidity.

Typ: Corrugated cardboard  
Sorte: BC415 brown  
Stärke: approx 5 mm  
ECT: 9,80 kN/m (edge crush)  
1800 kN/m (burst strength)

# KART.ONE THEPOPUPBOX

## FACTSHEET 40x30x25



SIZE		VOLUME	WEIGHT	LOAD CAPACITY
<b>L x W x H in mm</b>				
<b>outside</b>	<b>inside</b>			
400 x 300 x 250	380 x 265 x 245	24,7 liter	675 gram	up to 25 KG (with even load distribution)




THEPOPUPBOX is made of corrugated cardboard - a material that is completely renewable raw materials and can be completely recycled. The boxes can simply be disposed of in the waste paper. Recycling used packaging to produce new corrugated cardboard delays the return of CO2 to the atmosphere.

**80** %  
Recycled material

**20** % Fresh fibres

 **Pallet dimension**  
1,31 x 0,88 x 1,95 m  
(L x W x H)



**214** KG


**300** pieces

Delivery is flat, on double pallets (131 x 88 cm).  
Double pallets are stackable (Transport: max. 2 pallets, Storage: max. 4 pallets on top of each other).  
For storage and processing we recommend 15-25 degrees Celsius and 45 - 65 % relative humidity.

Typ: Corrugated cardboard  
Sorte: BC415 brown  
Stärke: approx 5 mm  
ECT: 9,80 kN/m (edge crush)  
1800 kN/m (burst strength)

# KART.ONE THEPALLETBOX

## FACTSHEET 80x120x195



SIZE	VOLUME	WEIGHT
<b>L x W x H in mm</b> <b>outside</b> 1214 x 814 x 1954 <b>insight</b> 1200x800x 940	1.651 l - 1.872 l	5500 g


0,38 m Flap height  
 2,11 m Total height  
 1,57 m Filling range up to lid flaps  
 15 cm Europallet

**1** x THEPALLETBOX FOR EURO PALLET  
**1.651-1.872** l Volumen  
 Stowage and storage space

THEPOPUPBOX is made of corrugated cardboard - a material that is completely renewable raw materials and can be completely recycled. The boxes can simply be disposed of in the waste paper. Recycling used packaging to produce new corrugated cardboard delays the return of CO2 to the atmosphere.

**80** %  
Recycled material  
**20** % Fresh fibres

 **Pallet dimension**  
2,30 x 2,05 x 2,26 m  
(L x W x H)



Delivery is flat, on double pallets (230 x 205 cm). Double pallets are stackable. Transport: max. 2 pallets, Storage: max. 4 pallets on top of each other). For storage and processing we recommend 15-25 degrees Celsius and 45 - 65 % relative humidity.

Typ: Corrugated cardboard  
 Sorte: BC415 brown  
 Stärke: approx 5 mm  
 ECT: 9,80 kN/m (edge crush)  
 1800 kN/m (burst strength)

# KART.ONE THEPALLETBOX

## FACTSHEET 80x120x195



The THEPALLETBOX is very easy to assemble with just a few handles and can be placed on a pallet.




The loading flap is provided with a wave cut. This means it can be closed again after or during loading and the flap does not fall down.

When opened, the pallet container has a filling height of 1.95 metres. When the lid flaps are closed, it can be filled up to a filling height of 1.57 metres.

The lid flaps have a height of 38 cm and are used to correct the height of lower transport vehicles, for example. They do not close completely.

The hinged base closes almost completely. This prevents small consignments from falling through or sliding out.

- Patented fixing aid for packaging film
- Loading flap with wave cut
- Two handles on each two sides
- Folding base for more stability



The THEPALLETBOX has a patented Y-shaped fixing device on the right-hand side and rear of the pallet container.

One just above the floor, another halfway up above the loading flap.

This is used to secure the packaging film (stretch film) during manual or machine wrapping.

This makes it easier to wrap the pallets/packaging material and saves time.

**KART.ONE**  
**THEPOPUPBOX**

**FACTSHEETS**



**thanks**

**KART.ONE**

Am Pfahlgraben 4-10  
D-35415 Pohlheim  
info@kart.one

